

TOSHIBA
Leading Innovation >>>

2011 Motor Catalog >>>>>
ADDENDUM >>>>>

Totally Enclosed Explosion Proof
Class I Group D, Class II Groups E, F, & G
Footed
Premium Efficiency



Effective Date: 6/13/2011

HP	Speed (RPM)	Volts	Frame	Model Number	Discount Symbol	List
1	1800	230/460	143T	0014XPEA31A-P	MCTXPP	\$1,072
1	1800	575	143T	0014XPEC31A-P	MCTXPP	\$1,072
1	1200	230/460	145T	0016XPEA31A-P	MCTXPP	\$1,160
1	1200	575	145T	0016XPEC31A-P	MCTXPP	\$1,160
1.5	3600	230/460	143T	Y152XPEA31A-P	MCTXPP	\$1,228
1.5	3600	575	143T	Y152XPEC31A-P	MCTXPP	\$1,228
1.5	1800	230/460	145T	Y154XPEA31A-P	MCTXPP	\$1,213
1.5	1800	575	145T	Y154XPEC31A-P	MCTXPP	\$1,213
1.5	1200	230/460	182T	Y156XPEA31A-P	MCTXPP	\$1,345
1.5	1200	575	182T	Y156XPEC31A-P	MCTXPP	\$1,345
2	3600	230/460	145T	0022XPEA31A-P	MCTXPP	\$1,213
2	3600	575	145T	0022XPEC31A-P	MCTXPP	\$1,213
2	1800	230/460	145T	0024XPEA31A-P	MCTXPP	\$1,208
2	1800	575	145T	0024XPEC31A-P	MCTXPP	\$1,208
2	1200	230/460	184T	0026XPEA31A-P	MCTXPP	\$1,559
2	1200	575	184T	0026XPEC31A-P	MCTXPP	\$1,559
3	3600	230/460	182T	0032XPEA31A-P	MCTXPP	\$1,398
3	3600	575	182T	0032XPEC31A-P	MCTXPP	\$1,398
3	1800	230/460	182T	0034XPEA31A-P	MCTXPP	\$1,418
3	1800	575	182T	0034XPEC31A-P	MCTXPP	\$1,418
3	1200	230/460	213T	0036XPEA31A-P	MCTXPP	\$2,125
3	1200	575	213T	0036XPEC31A-P	MCTXPP	\$2,125
5	3600	230/460	184T	0052XPEA31A-P	MCTXPP	\$1,520
5	3600	575	184T	0052XPEC31A-P	MCTXPP	\$1,520
5	1800	230/460	184T	0054XPEA31A-P	MCTXPP	\$1,442
5	1800	575	184T	0054XPEC31A-P	MCTXPP	\$1,442
5	1200	230/460	215T	0056XPEA31A-P	MCTXPP	\$2,427
5	1200	575	215T	0056XPEC31A-P	MCTXPP	\$2,427
7.5	3600	230/460	213T	Y752XPEA31A-P	MCTXPP	\$2,347
7.5	3600	575	213T	Y752XPEC31A-P	MCTXPP	\$2,347
7.5	1800	230/460	213T	Y754XPEA31A-P	MCTXPP	\$2,315
7.5	1800	575	213T	Y754XPEC31A-P	MCTXPP	\$2,315
7.5	1200	230/460	254T	Y756XPEA31A-P	MCTXPP	\$3,402
7.5	1200	575	254T	Y756XPEC31A-P	MCTXPP	\$3,402
10	3600	230/460	215T	0102XPEA31A-P	MCTXPP	\$2,651
10	3600	575	215T	0102XPEC31A-P	MCTXPP	\$2,651

Totally Enclosed Explosion Proof
Class I Group D, Class II Groups E, F, & G
Footed
Premium Efficiency



HP	Speed (RPM)	Volts	Frame	Model Number	Discount Symbol	List
10	1800	230/460	215T	0104XPEA31A-P	MCTXPP	\$2,683
10	1800	575	215T	0104XPEC31A-P	MCTXPP	\$2,683
10	1200	230/460	256T	0106XPEA31A-P	MCTXPP	\$3,840
10	1200	575	256T	0106XPEC31A-P	MCTXPP	\$3,840
15	3600	230/460	254T	0152XPEA31A-P	MCTXPP	\$3,452
15	3600	575	254T	0152XPEC31A-P	MCTXPP	\$3,452
15	1800	230/460	254T	0154XPEA31A-P	MCTXPP	\$3,450
15	1800	575	254T	0154XPEC31A-P	MCTXPP	\$3,450
15	1200	230/460	284T	0156XPEA31A-P	MCTXPP	\$4,678
15	1200	575	284T	0156XPEC31A-P	MCTXPP	\$4,678
20	3600	230/460	256T	0202XPEA31A-P	MCTXPP	\$4,312
20	3600	575	256T	0202XPEC31A-P	MCTXPP	\$4,312
20	1800	230/460	256T	0204XPEA31A-P	MCTXPP	\$4,350
20	1800	575	256T	0204XPEC31A-P	MCTXPP	\$4,350
20	1200	230/460	286T	0206XPEA31A-P	MCTXPP	\$5,556
20	1200	575	286T	0206XPEC31A-P	MCTXPP	\$5,556
25	3600	230/460	284TS	0252XPEA31B-P	MCTXPP	\$5,859
25	3600	575	284TS	0252XPEC31B-P	MCTXPP	\$5,859
25	1800	230/460	284T	0254XPEA31A-P	MCTXPP	\$5,180
25	1800	575	284T	0254XPEC31A-P	MCTXPP	\$5,180
25	1200	230/460	324T	0256XPEA31A-P	MCTXPP	\$7,040
25	1200	575	324T	0256XPEC31A-P	MCTXPP	\$7,040
30	3600	230/460	286TS	0302XPEA31B-P	MCTXPP	\$6,245
30	3600	575	286TS	0302XPEC31B-P	MCTXPP	\$6,245
30	1800	230/460	286T	0304XPEA31A-P	MCTXPP	\$5,766
30	1800	575	286T	0304XPEC31A-P	MCTXPP	\$5,766
30	1200	230/460	326T	0306XPEA31A-P	MCTXPP	\$7,548
30	1200	575	326T	0306XPEC31A-P	MCTXPP	\$7,548
40	3600	230/460	324TS	0402XPEA31B-P	MCTXPP	\$7,811
40	3600	575	324TS	0402XPEC31B-P	MCTXPP	\$7,811
40	1800	230/460	324T	0404XPEA31A-P	MCTXPP	\$7,440
40	1800	575	324T	0404XPEC31A-P	MCTXPP	\$7,440

Totally Enclosed Explosion Proof
Class I Group D, Class II Groups E, F, & G
Footed
Premium Efficiency



HP	Speed (RPM)	Volts	Frame	Model Number	Discount Symbol	List
40	1200	230/460	364T	0406XPEA31A-P	MCTXPP	\$11,698
40	1200	575	364T	0406XPEC31A-P	MCTXPP	\$11,698
50	3600	230/460	326TS	0502XPEA31B-P	MCTXPP	\$8,978
50	3600	575	326TS	0502XPEC31B-P	MCTXPP	\$8,978
50	1800	230/460	326T	0504XPEA31A-P	MCTXPP	\$8,569
50	1800	575	326T	0504XPEC31A-P	MCTXPP	\$8,569
50	1200	230/460	365T	0506XPEA31A-P	MCTXPP	\$12,978
50	1200	575	365T	0506XPEC31A-P	MCTXPP	\$12,978
60	3600	230/460	364TS	0602XPEA31B-P	MCTXPP	\$13,534
60	3600	575	364TS	0602XPEC31B-P	MCTXPP	\$13,534
60	1800	230/460	364T	0604XPEA31A-P	MCTXPP	\$13,016
60	1800	575	364T	0604XPEC31A-P	MCTXPP	\$13,016
60	1200	230/460	404T	0606XPEA31A-P	MCTXPP	\$17,487
60	1200	575	404T	0606XPEC31A-P	MCTXPP	\$17,487
75	3600	230/460	365TS	0752XPEA31B-P	MCTXPP	\$14,945
75	3600	575	365TS	0752XPEC31B-P	MCTXPP	\$14,945
75	1800	230/460	365T	0754XPEA31A-P	MCTXPP	\$14,687
75	1800	575	365T	0754XPEC31A-P	MCTXPP	\$14,687
75	1200	230/460	405T	0756XPEA31A-P	MCTXPP	\$18,955
75	1200	575	405T	0756XPEC31A-P	MCTXPP	\$18,955
100	3600	230/460	405TS	1002XPEA31B-P	MCTXPP	\$18,875
100	3600	575	405TS	1002XPEC31B-P	MCTXPP	\$18,875
100	1800	230/460	405T	1004XPEA31A-P	MCTXPP	\$16,734
100	1800	575	405T	1004XPEC31A-P	MCTXPP	\$16,734
100	1200	230/460	444T	1006XPEA31A-P	MCTXPP	\$25,002
100	1200	575	444T	1006XPEC31A-P	MCTXPP	\$25,002
125	3600	230/460	444TS	1252XPEA31B-P	MCTXPP	\$25,985
125	3600	575	444TS	1252XPEC31B-P	MCTXPP	\$25,985
125	1800	230/460	444T	1254XPEA31A-P	MCTXPP	\$23,546
125	1800	575	444T	1254XPEC31A-P	MCTXPP	\$23,546
125	1200	230/460	445T	1256XPEA31A-P	MCTXPP	\$29,303
125	1200	575	445T	1256XPEC31A-P	MCTXPP	\$29,303

**Totally Enclosed Explosion Proof
Class I Group D, Class II Groups E, F, & G
Footed
Premium Efficiency**



HP	Speed (RPM)	Volts	Frame	Model Number	Discount Symbol	List
150	3600	230/460	445TS	1502XPEA31B-P	MCTXPP	\$31,534
150	3600	575	445TS	1502XPEC31B-P	MCTXPP	\$31,534
150	1800	230/460	445T	1504XPEA31A-P	MCTXPP	\$28,606
150	1800	575	445T	1504XPEC31A-P	MCTXPP	\$28,606
150	1200	460	447T	1506XPEB31A-P	MCTXPP	\$33,274
150	1200	575	447T	1506XPEC31A-P	MCTXPP	\$33,274
200	3600	460	447TSS	2002XPEB31B-P	MCTXPP	\$34,357
200	3600	575	447TSS	2002XPEC31B-P	MCTXPP	\$34,357
200	1800	460	447T	2004XPEB31A-P	MCTXPP	\$34,432
200	1800	575	447T	2004XPEC31A-P	MCTXPP	\$34,432

Totally Enclosed Explosion Proof
Class I Group D, Class II Groups E, F, & G
C-Face Footed
Premium Efficiency



Effective Date: 10/21/2011

HP	Speed (RPM)	Volts	Frame	Model Number	Discount Symbol	List
1	1800	230/460	143T	0014XPEA32A-P	MCTXPP	\$1,313
1	1800	575	143T	0014XPEC32A-P	MCTXPP	\$1,313
1.5	1800	230/460	145T	Y154XPEA32A-P	MCTXPP	\$1,454
1.5	1800	575	145T	Y154XPEC32A-P	MCTXPP	\$1,454
2	1800	230/460	145T	0024XPEA32A-P	MCTXPP	\$1,449
2	1800	575	145T	0024XPEC32A-P	MCTXPP	\$1,449
3	1800	230/460	182T	0034XPEA32A-P	MCTXPP	\$1,691
3	1800	575	182T	0034XPEC32A-P	MCTXPP	\$1,691
5	1800	230/460	184T	0054XPEA32A-P	MCTXPP	\$1,715
5	1800	575	184T	0054XPEC32A-P	MCTXPP	\$1,715
7.5	1800	230/460	213T	Y754XPEA32A-P	MCTXPP	\$2,643
7.5	1800	575	213T	Y754XPEC32A-P	MCTXPP	\$2,643
10	1800	230/460	215T	0104XPEA32A-P	MCTXPP	\$3,011
10	1800	575	215T	0104XPEC32A-P	MCTXPP	\$3,011
15	1800	230/460	254T	0154XPEA32A-P	MCTXPP	\$3,888
15	1800	575	254T	0154XPEC32A-P	MCTXPP	\$3,888
20	1800	230/460	256T	0204XPEA32A-P	MCTXPP	\$4,788
20	1800	575	256T	0204XPEC32A-P	MCTXPP	\$4,788
25	1800	230/460	284T	0254XPEA32A-P	MCTXPP	\$5,946
25	1800	575	284T	0254XPEC32A-P	MCTXPP	\$5,946
30	1800	230/460	286T	0304XPEA32A-P	MCTXPP	\$6,532
30	1800	575	286T	0304XPEC32A-P	MCTXPP	\$6,532
40	1800	230/460	324T	0404XPEA32A-P	MCTXPP	\$8,315
40	1800	575	324T	0404XPEC32A-P	MCTXPP	\$8,315
50	1800	230/460	326T	0504XPEA32A-P	MCTXPP	\$9,444
50	1800	575	326T	0504XPEC32A-P	MCTXPP	\$9,444
60	1800	230/460	364T	0604XPEA32A-P	MCTXPP	\$14,000
60	1800	575	364T	0604XPEC32A-P	MCTXPP	\$14,000
75	1800	230/460	365T	0754XPEA32A-P	MCTXPP	\$15,671
75	1800	575	365T	0754XPEC32A-P	MCTXPP	\$15,671

Totally Enclosed
EQPIII Toshwash C-Face Footed
Premium Efficiency



Effective Date: 10/1/2011

HP	Speed (RPM)	Volts	Enclosure	Frame	Weight (lbs.)	Model Number	FL AMPS	Nominal FL EEF	Notes	Discount Symbol	List
0.5	1800	230/460	TENV	56C	54	1/24FNWA32H	1.7/1.85	81.5	7	MXTFCT	\$2,466
0.5	1800	575	TENV	56C	54	1/24FNWC32H	0.7	81.5	7	MXTFCT	\$2,466
0.5	1200	230/460	TENV	56C	60	1/26FNWA32H	1.8/0.9	80.0	7	MXTFCT	\$2,814
0.5	1200	575	TENV	56C	60	1/26FNWC32H	0.7	80.0	7	MXTFCT	\$2,814
0.75	1800	230/460	TENV	56C	60	3/44FNWA32H	2.2/1.1	82.5	7	MXTFCT	\$2,582
0.75	1800	575	TENV	56C	60	3/44FNWC32H	0.9	82.5	7	MXTFCT	\$2,582
0.75	1200	230/460	TENV	56C	62	3/46FNWA32H	3/1.5	82.5	7	MXTFCT	\$2,946
0.75	1200	575	TENV	56C	62	3/46FNWC32H	1.2	82.5	7	MXTFCT	\$2,946
1	1800	230/460	TENV	56C	63	0014FNWA32H	3.0/1.5	84.0	7	MXTFCT	\$3,253
1	1800	575	TENV	56C	63	0014FNWC32H	1.2	84.0	7	MXTFCT	\$3,253
1	1800	230/460	TENV	143TC	63	0014FNWA32A	3.0/1.5	84.0	7	MXTFCT	\$3,253
1	1800	575	TENV	143TC	63	0014FNWC32A	1.2	84.0	7	MXTFCT	\$3,253
1	1200	230/460	TENV	56C	70	0016FNWA32H	3.6/1.8	82.5	7	MXTFCT	\$3,839
1	1200	575	TENV	56C	70	0016FNWC32H	1.45	82.5	7	MXTFCT	\$3,839
1	1200	230/460	TENV	145TC	70	0016FNWA32A	3.6/1.8	82.5	7	MXTFCT	\$3,839
1	1200	575	TENV	145TC	70	0016FNWC32A	1.45	82.5	7	MXTFCT	\$3,839
1.5	1800	230/460	TEFC	56C	64	Y154FCWA42H	4.0/2.0	87.5	-	MXTFCT	\$4,442
1.5	1800	575	TEFC	56C	64	Y154FCWC42H	1.7	87.5	-	MXTFCT	\$4,442
1.5	1800	230/460	TEFC	145TC	64	Y154FCWA42A	4.0/2.0	87.5	-	MXTFCT	\$4,442
1.5	1800	575	TEFC	145TC	64	Y154FCWC42A	1.7	87.5	-	MXTFCT	\$4,442
2	1800	230/460	TEFC	56C	65	0024FCWA42H	5.2/2.6	87.5	-	MXTFCT	\$5,046
2	1800	575	TEFC	56C	65	0024FCWC42H	2.1	87.5	-	MXTFCT	\$5,046
2	1800	230/460	TEFC	145TC	65	0024FCWA42A	5.2/2.6	87.5	-	MXTFCT	\$5,046
2	1800	575	TEFC	145TC	65	0024FCWC42A	2.1	87.5	-	MXTFCT	\$5,046
3	1800	230/460	TEFC	182TC	108	0034FCWA42A	7.6/3.8	89.5	-	MXTFCT	\$6,393
3	1800	575	TEFC	182TC	108	0034FCWC42A	3.0	89.5	-	MXTFCT	\$6,393
3	1800	230/460	TENV	182TC	108	0034FNWA32A	8.0/4.0	87.5	-	MXTFCT	\$5,327
3	1800	575	TENV	182TC	108	0034FNWC32A	3.5	87.5	-	MXTFCT	\$5,327
5	1800	230/460	TEFC	184TC	108	0054FCWA42A	Consult Factory	-	-	MXTFCT	\$6,864
5	1800	575	TEFC	184TC	108	0054FCWC42A	Consult Factory	-	-	MXTFCT	\$6,864

2011 Motor Catalog Addendum

**Totally Enclosed
EQPIII Toshwash C-Face Footed
Premium Efficiency**



HP	Speed (RPM)	Volts	Enclosure	Frame	Weight (lbs.)	Model Number	FL AMPS	Nominal FL EEF	Notes	Discount Symbol	List
7.5	1800	230/460	TEFC	213TC	-	Y754FCWA42A	Consult Factory	-	-	MXTFCT	\$8,042
7.5	1800	575	TEFC	213TC	-	Y754FCWC42A	Consult Factory	-	-	MXTFCT	\$8,042
10	1800	230/460	TEFC	215TC	-	0104FCWA42A	Consult Factory	-	-	MXTFCT	\$10,723
10	1800	575	TEFC	215TC	-	0104FCWC42A	Consult Factory	-	-	MXTFCT	\$10,723

**Totally Enclosed
Fan Cooled EQP Global SD
C-Face Round Body
NEMA Premium® Efficiency**



Effective Date: 11/1/2011

HP	Speed (RPM)	Volts	Frame	Weight (Lbs.)	Model Number	FL AMPS	Nominal FL EEF	Notes	Discount Symbol	List
0.75	1200	230/460	143TC	52	3/46SDSR44A-P	2.8 / 1.4	80.0	1, 9	MTPFCP	\$754
0.75	1200	575	143TC	52	3/46SDSC44A-P	1.1	81.9	1, 9	MTPFCP	\$754
1	1800	230/460	143TC	51	0014SDSR44A-P	3.4 / 1.7	85.5	1, 9	MTPFCP	\$658
1	1800	575	143TC	51	0014SDSC44A-P	1.3	85.5	1, 9	MTPFCP	\$658
1	1200	230/460	145TC	56	0016SDSR44A-P	3.6 / 1.8	82.5	1, 9	MTPFCP	\$788
1	1200	575	145TC	56	0016SDSC44A-P	1.5	82.5	1, 9	MTPFCP	\$788
1.5	3600	230/460	143TC	50	Y152SDSR44A-P	4.0 / 2.0	84.0	1, 9	MTPFCP	\$705
1.5	3600	575	143TC	50	Y152SDSC44A-P	1.6	84.0	1, 9	MTPFCP	\$705
1.5	1800	230/460	145TC	53	Y154SDSR44A-P	4.8 / 2.4	86.5	1, 9	MTPFCP	\$711
1.5	1800	575	145TC	53	Y154SDSC44A-P	1.9	86.5	1, 9	MTPFCP	\$711
1.5	1200	230/460	182TC	79	Y156SDSR44A-P	5.0 / 2.5	87.5	1, 9	MTPFCP	\$857
1.5	1200	575	182TC	79	Y156SDSC44A-P	2	87.5	1, 9	MTPFCP	\$857
2	3600	230/460	145TC	53	0022SDSR44A-P	5.2 / 2.6	85.5	1, 9	MTPFCP	\$829
2	3600	575	145TC	53	0022SDSC44A-P	2.1	85.5	1, 9	MTPFCP	\$829
2	1800	230/460	145TC	56	0024SDSR44A-P	6.0 / 3.0	86.5	1, 9	MTPFCP	\$762
2	1800	575	145TC	56	0024SDSC44A-P	2.4	86.5	1, 9	MTPFCP	\$762
2	1200	230/460	184TC	93	0026SDSR44A-P	6.8 / 3.4	88.5	1, 9	MTPFCP	\$970
2	1200	575	184TC	93	0026SDSC44A-P	2.7	88.5	1, 9	MTPFCP	\$970
3	3600	230/460	182TC	77	0032SDSR44A-P	7.4 / 3.7	86.5	1, 9	MTPFCP	\$894
3	3600	575	182TC	77	0032SDSC44A-P	3	86.5	1, 9	MTPFCP	\$894
3	1800	230/460	182TC	86	0034SDSR44A-P	8.0 / 4.0	89.5	1, 9	MTPFCP	\$881
3	1800	575	182TC	86	0034SDSC44A-P	3.2	89.5	1, 9	MTPFCP	\$881
3	1200	230/460	213TC	147	0036SDSR44A-P	8.8 / 4.4	89.5	1, 9	MTPFCP	\$1,242
3	1200	575	213TC	147	0036SDSC44A-P	3.5	89.5	1, 9	MTPFCP	\$1,242
5	3600	230/460	184TC	91	0052SDSR44A-P	11.6 / 5.8	88.5	1, 9	MTPFCP	\$1,074
5	3600	575	184TC	91	0052SDSC44A-P	4.6	88.5	1, 9	MTPFCP	\$1,074
5	1800	230/460	184TC	97	0054SDSR44A-P	13.0 / 6.5	89.5	1, 9	MTPFCP	\$986
5	1800	575	184TC	97	0054SDSC44A-P	5.2	89.5	1, 9	MTPFCP	\$986
5	1200	230/460	215TC	165	0056SDSR44A-P	13.8 / 6.9	89.5	1, 9	MTPFCP	\$1,736
5	1200	575	215TC	165	0056SDSC44A-P	5.5	89.5	1, 9	MTPFCP	\$1,736
7.5	3600	230/460	213TC	155	Y752SDSR44A-P	18.0 / 9.0	89.5	1, 9	MTPFCP	\$1,335
7.5	3600	575	213TC	155	Y752SDSC44A-P	7.2	89.5	1, 9	MTPFCP	\$1,335

Totally Enclosed
Fan Cooled EQP Global SD
C-Face Round Body
NEMA Premium® Efficiency



HP	Speed (RPM)	Volts	Frame	Weight (Lbs.)	Model Number	FL AMPS	Nominal FL EEF	Notes	Discount Symbol	List
7.5	1800	230/460	213TC	171	Y754SDSR44A-P	19.6 / 9.8	91.7	1, 9	MTPFCP	\$1,335
7.5	1800	575	213TC	171	Y754SDSC44A-P	7.8	91.7	1, 9	MTPFCP	\$1,335
7.5	1200	230/460	254TC	252	Y756SDSR44A-P	20.4 / 10.2	91.0	1, 9	MTPFCP	\$2,234
7.5	1200	575	254TC	252	Y756SDSC44A-P	8.2	91.0	1, 9	MTPFCP	\$2,234
10	3600	230/460	215TC	172	0102SDSR44A-P	23.6 / 11.8	90.2	1, 9	MTPFCP	\$1,563
10	3600	575	215TC	172	0102SDSC44A-P	9.4	90.2	1, 9	MTPFCP	\$1,563
10	1800	230/460	215TC	186	0104SDSR44A-P	26.0 / 13.0	91.7	1, 9	MTPFCP	\$1,583
10	1800	575	215TC	186	0104SDSC44A-P	10.4	91.7	1, 9	MTPFCP	\$1,583
10	1200	230/460	256TC	274	0106SDSR44A-P	26.8 / 13.4	91.0	1, 9	MTPFCP	\$2,665
10	1200	575	256TC	274	0106SDSC44A-P	10.8	91.0	1, 9	MTPFCP	\$2,665
15	3600	230/460	254TC	274	0152SDSR44A-P	36.0 / 18.0	91.0	1, 9	MTPFCP	\$2,175
15	3600	575	254TC	274	0152SDSC44A-P	14.4	91.0	1, 9	MTPFCP	\$2,175
15	1800	230/460	254TC	289	0154SDSR44A-P	38.0 / 19.0	92.4	1, 9	MTPFCP	\$2,166
15	1800	575	254TC	289	0154SDSC44A-P	15.2	92.4	1, 9	MTPFCP	\$2,166
15	1200	230/460	284TC	364	0156SDSR44A-P	39.2 / 19.6	91.7	1, 9	MTPFCP	\$3,640
15	1200	575	284TC	364	0156SDSC44A-P	15.8	91.7	1, 9	MTPFCP	\$3,640
20	3600	230/460	256TC	292	0202SDSR44A-P	48.0 / 24.0	91.0	1, 9	MTPFCP	\$2,731
20	3600	575	256TC	292	0202SDSC44A-P	19.2	91.0	1, 9	MTPFCP	\$2,731
20	1800	230/460	256TC	340	0204SDSR44A-P	50.0 / 25.0	93.0	1, 9	MTPFCP	\$2,607
20	1800	575	256TC	340	0204SDSC44A-P	20	93.0	1, 9	MTPFCP	\$2,607
20	1200	230/460	286TC	411	0206SDSR44A-P	50.8 / 25.4	91.7	1, 9	MTPFCP	\$4,185
20	1200	575	286TC	411	0206SDSC44A-P	20.4	91.7	1, 9	MTPFCP	\$4,185
25	3600	230/460	284TSC	406	0252SDSR44B-P	58.0 / 29.0	91.7	1, 9	MTPFCP	\$3,321
25	3600	575	284TSC	406	0252SDSC44B-P	23.2	91.7	1, 9	MTPFCP	\$3,321
25	1800	230/460	284TC	424	0254SDSR44A-P	61.0 / 30.5	93.6	1, 9	MTPFCP	\$3,144
25	1800	575	284TC	424	0254SDSC44A-P	24.4	93.6	1, 9	MTPFCP	\$3,144
25	1200	230/460	324TC	545	0256SDSR44A-P	62.4 / 31.2	93.0	1, 9	MTPFCP	\$5,038
25	1200	575	324TC	545	0256SDSC44A-P	24.6	93.0	1, 9	MTPFCP	\$5,038
30	3600	230/460	286TSC	439	0302SDSR44B-P	70.0 / 35.0	91.7	1, 9	MTPFCP	\$3,747
30	3600	575	286TSC	439	0302SDSC44B-P	28	91.7	1, 9	MTPFCP	\$3,747
30	1800	230/460	286TC	448	0304SDSR44A-P	72.8 / 36.4	93.6	1, 9	MTPFCP	\$3,687
30	1800	575	286TC	448	0304SDSC44A-P	29.2	93.6	1, 9	MTPFCP	\$3,687

Totally Enclosed Fan Cooled
EQP Global SD
C-Face Round Body
NEMA Premium® Efficiency



HP	Speed (RPM)	Volts	Frame	Weight (Lbs.)	Model Number	FL AMPS	Nominal FL EEF	Notes	Discount Symbol	List
30	1200	230/460	326TC	571	0306SDSR44A-P	74.4 / 37.2	93.0	1, 9	MTPFCP	\$6,036
30	1200	575	326TC	571	0306SDSC44A-P	30	93.0	1, 9	MTPFCP	\$6,036
40	3600	230/460	324TSC	589	0402SDSR44B-P	94.0 / 47.0	92.4	1, 9	MTPFCP	\$4,657
40	3600	575	324TSC	589	0402SDSC44B-P	37.6	92.4	1, 9	MTPFCP	\$4,657
40	1800	230/460	324TC	593	0404SDSR44A-P	96.0 / 48.0	94.1	1, 9	MTPFCP	\$4,688
40	1800	575	324TC	593	0404SDSC44A-P	38.4	94.1	1, 9	MTPFCP	\$4,688
40	1200	230/460	364TC	708	0406SDSR44A-P	96.0 / 48.0	94.1	1, 9	MTPFCP	\$8,083
40	1200	575	364TC	708	0406SDSC44A-P	38.4	94.1	1, 9	MTPFCP	\$8,083
50	3600	230/460	326TSC	624	0502SDSR44B-P	116.0 / 58.0	93.0	1, 9	MTPFCP	\$6,257
50	3600	575	326TSC	624	0502SDSC44B-P	46.4	93.0	1, 9	MTPFCP	\$6,257
50	1800	230/460	326TC	651	0504SDSR44A-P	120.0 / 60.0	94.5	1, 9	MTPFCP	\$5,604
50	1800	575	326TC	651	0504SDSC44A-P	48	94.5	1, 9	MTPFCP	\$5,604
50	1200	230/460	365TC	757	0506SDSR44A-P	120.0 / 60.0	94.1	1, 9	MTPFCP	\$9,291
50	1200	575	365TC	757	0506SDSC44A-P	48	94.1	1, 9	MTPFCP	\$9,291
60	3600	230/460	364TSC	763	0602SDSR44B-P	138.0 / 69.0	93.6	1, 9	MTPFCP	\$7,935
60	3600	575	364TSC	763	0602SDSC44B-P	55.0	93.6	1, 9	MTPFCP	\$7,935
60	1800	230/460	364TC	796	0604SDSR44A-P	138.0 / 69.0	95.0	1, 9	MTPFCP	\$8,030
60	1800	575	364TC	796	0604SDSC44A-P	55.0	95.0	1, 9	MTPFCP	\$8,030
75	3600	230/460	365TSC	814	0752SDSR44B-P	172.0 / 86.0	93.6	1, 9	MTPFCP	\$9,769
75	3600	575	365TSC	814	0752SDSC44B-P	68.8	93.6	1, 9	MTPFCP	\$9,769
75	1800	230/460	365TC	893	0754SDSR44A-P	172.0 / 86.0	95.4	1, 9	MTPFCP	\$10,097
75	1800	575	365TC	893	0754SDSC44A-P	68.8	95.4	1, 9	MTPFCP	\$10,097

**Totally Enclosed Fan Cooled
EQP Global 840, Mill & Chemical Duty
C-Face Round Body
NEMA Premium® Efficiency**



Effective Date: 12/1/2011

HP	Speed (RPM)	Volts	Frame	Weight (Lbs.)	Model Number	FL AMPS	Nominal FL EFF	NOTES	Discount Symbol	List
1	1800	460	143TC	51	0014XSSB44A-P	1.7	85.5	1, 9	MTP840	\$727
1	1800	575	143TC	51	0014XSSC44A-P	1.3	85.5	1, 9	MTP840	\$727
1.5	1800	460	145TC	53	Y154XSSB44A-P	2.4	86.5	1, 9	MTP840	\$796
1.5	1800	575	145TC	53	Y154XSSC44A-P	1.9	86.5	1, 9	MTP840	\$796
2	1800	460	145TC	56	0024XSSB44A-P	3	86.5	1, 9	MTP840	\$862
2	1800	575	145TC	56	0024XSSC44A-P	2.4	86.5	1, 9	MTP840	\$862
3	1800	460	182TC	86	0034XSSB44A-P	4	89.5	1, 9	MTP840	\$926
3	1800	575	182TC	86	0034XSSC44A-P	3.2	89.5	1, 9	MTP840	\$926
5	1800	460	184TC	97	0054XSSB44A-P	6.5	89.5	1, 9	MTP840	\$1,057
5	1800	575	184TC	97	0054XSSC44A-P	5.2	89.5	1, 9	MTP840	\$1,057
7.5	1800	460	213TC	171	Y754XSSB44A-P	9.8	91.7	1, 9	MTP840	\$1,519
7.5	1800	575	213TC	171	Y754XSSC44A-P	7.8	91.7	1, 9	MTP840	\$1,519
10	1800	460	215TC	186	0104XSSB44A-P	13	91.7	1, 9	MTP840	\$1,752
10	1800	575	215TC	186	0104XSSC44A-P	10.4	91.7	1, 9	MTP840	\$1,752
15	1800	460	254TC	289	0154XSSB44A-P	19	92.4	1, 9	MTP840	\$2,346
15	1800	575	254TC	289	0154XSSC44A-P	15.2	92.4	1, 9	MTP840	\$2,346
20	1800	460	256TC	340	0204XSSB44A-P	25	93.0	1, 9	MTP840	\$2,851
20	1800	575	256TC	340	0204XSSC44A-P	20	93.0	1, 9	MTP840	\$2,851
25	1800	460	284TC	424	0254XSSB44A-P	30.5	93.6	1, 9	MTP840	\$3,419
25	1800	575	284TC	424	0254XSSC44A-P	24.4	93.6	1, 9	MTP840	\$3,419
30	1800	460	286TC	448	0304XSSB44A-P	36.4	93.6	1, 9	MTP840	\$3,917
30	1800	575	286TC	448	0304XSSC44A-P	29.2	93.6	1, 9	MTP840	\$3,917
40	1800	460	324TC	593	0404XSSB44A-P	48	94.1	1, 9	MTP840	\$5,015
40	1800	575	324TC	593	0404XSSC44A-P	38.4	94.1	1, 9	MTP840	\$5,015
50	1800	460	326TC	651	0504XSSB44A-P	60	94.5	1, 9	MTP840	\$5,744
50	1800	575	326TC	651	0504XSSC44A-P	48	94.5	1, 9	MTP840	\$5,744
60	1800	460	364TC	796	0604XSSB44A-P	69.0	95.0	1, 9	MTP840	\$8,789
60	1800	575	364TC	796	0604XSSC44A-P	55.0	95.0	1, 9	MTP840	\$8,789
75	1800	460	365TC	893	0754XSSB44A-P	86	95.4	1, 9	MTP840	\$10,374
75	1800	575	365TC	893	0754XSSC44A-P	68.8	95.4	1, 9	MTP840	\$10,374

**Totally Enclosed Fan Cooled
EQP Global 841, Petro-Chemical Duty
C-Face Round Body
NEMA Premium® Efficiency**



Effective Date: 12/1/2011

HP	Speed (RPM)	Volts	Frame	Weight (Lbs.)	MODEL NUMBER	FL AMPS	Nominal FL EFF	NOTES	Discount Symbol	List
1	1800	460	143TC	51	0014XDSB44A-P	1.7	85.5	1	MTP841	\$905
1	1800	575	143TC	51	0014XDSC44A-P	1.3	85.5	1	MTP841	\$905
1.5	1800	460	145TC	53	Y154XDSB44A-P	2.4	86.5	1	MTP841	\$992
1.5	1800	575	145TC	53	Y154XDSC44A-P	1.9	86.5	1	MTP841	\$992
2	1800	460	145TC	56	0024XDSB44A-P	3	86.5	1	MTP841	\$1,078
2	1800	575	145TC	56	0024XDSC44A-P	2.4	86.5	1	MTP841	\$1,078
3	1800	460	182TC	86	0034XDSB44A-P	4	89.5	1	MTP841	\$1,304
3	1800	575	182TC	86	0034XDSC44A-P	3.2	89.5	1	MTP841	\$1,304
5	1800	460	184TC	97	0054XDSB44A-P	6.5	89.5	1	MTP841	\$1,386
5	1800	575	184TC	97	0054XDSC44A-P	5.2	89.5	1	MTP841	\$1,386
7.5	1800	460	213TC	171	Y754XDSB44A-P	9.8	91.7	1	MTP841	\$1,878
7.5	1800	575	213TC	171	Y754XDSC44A-P	7.8	91.7	1	MTP841	\$1,878
10	1800	460	215TC	186	0104XDSB44A-P	13	91.7	1	MTP841	\$2,222
10	1800	575	215TC	186	0104XDSC44A-P	10.4	91.7	1	MTP841	\$2,222
15	1800	460	254TC	289	0154XDSB44A-P	19	92.4	1	MTP841	\$2,967
15	1800	575	254TC	289	0154XDSC44A-P	15.2	92.4	1	MTP841	\$2,967
20	1800	460	256TC	340	0204XDSB44A-P	25	93.0	1	MTP841	\$3,621
20	1800	575	256TC	340	0204XDSC44A-P	20.0	93.0	1	MTP841	\$3,621
25	1800	460	284TC	424	0254XDSB44A-P	30.5	93.6	1	MTP841	\$4,247
25	1800	575	284TC	424	0254XDSC44A-P	24.4	93.6	1	MTP841	\$4,247
30	1800	460	286TC	448	0304XDSB44A-P	36.4	93.6	1	MTP841	\$4,865
30	1800	575	286TC	448	0304XDSC44A-P	29.2	93.6	1	MTP841	\$4,865
40	1800	460	324TC	593	0404XDSB44A-P	48	94.1	1	MTP841	\$6,370
40	1800	575	324TC	593	0404XDSC44A-P	38.4	94.1	1	MTP841	\$6,370
50	1800	460	326TC	651	0504XDSB44A-P	60	94.5	1	MTP841	\$7,704
50	1800	575	326TC	651	0504XDSC44A-P	48.0	94.5	1	MTP841	\$7,704
60	1800	460	364TC	796	0604XDSB44A-P	69	95.0	1	MTP841	\$10,140
60	1800	575	364TC	796	0604XDSC44A-P	55.0	95.0	1	MTP841	\$10,140
75	1800	460	365TC	893	0754XDSB44A-P	86	95.4	1	MTP841	\$12,624
75	1800	575	365TC	893	0754XDSC44A-P	68.8	95.4	1	MTP841	\$12,624

TOSHIBA
Leading Innovation >>>

TOSHIBA INTERNATIONAL CORPORATION

13131 W. Little York Road • Houston, TX 77041
Tel: 713-466-0277 Fax: 713-466-8773
US: 800-231-1412 Canada: 800-872-2792 Mexico: 800-527-1204

www.toshiba.com/ind